












## Direct Thermal Desktop Printers

Model	Part Number	Short Description	Long Description
 <p>TDP-225W</p>	99-039A002-41LF	TDP-225W 2" wide direct thermal wristband printer, 203 dpi, 5 ips	Two-Inch wide desktop wristband printer, 203 dpi, 8MB DRAM, 4MB FLASH with microSD FLASH expansion up to 4GB, holds up to 6.5" OD wristbands on 1" core, prints up to 5 ips, includes Real Time Clock, USB 2.0, Ethernet, LCD display. Emulates popular label printer languages right out of the box. Ships with Bartender Ultra-Lite software. Two year warranty.
TDP-225W + USB host	99-039A002-44LF		
 <p>TDP-324W</p>	99-039A036-41LF	TDP-324W 2" wide direct thermal wristband printer, 300 dpi, 4 ips	Two-Inch wide desktop wristband printer, 300 dpi, 8MB DRAM, 4MB FLASH with microSD FLASH expansion up to 4GB, holds up to 6.5" OD wristbands on 1" core, prints up to 5 ips, includes Real Time Clock, USB 2.0, Ethernet, LCD display. Emulates popular label printer languages right out of the box. Ships with Bartender Ultra-Lite software. Two year warranty.
TDP-324W + USB host	99-039A036-44LF		
 <p>TDP-225</p>	99-039A001-00LF (Beige) 99-039A003-00LF (Navy)	TDP-225 2" wide direct thermal label printer, 203 dpi, 5 ips	Two-inch wide desktop label printer, 203 dpi, 8MB DRAM, 4MB FLASH with microSD FLASH expansion up to 4GB, 5" OD on 1" to 1½" core, prints up to 5 ips, includes Real Time Clock, USB 2.0 and serial connectivity. Emulates popular label printer languages right out of the box. Ships with Bartender Ultra-Lite software. Two year warranty.
TDP-225 +LCD & IE (exclude RS-232)	99-039A001-42LF (Beige) 99-039A003-42LF (Navy)		
TDP-225 +LCD, IE & USB Host (exclude RS-232)	99-039A001-44LF (Beige) 99-039A003-44LF (Navy)		

<p>TDP-324</p> 	<p>99-039A035-00LF (Beige) 99-039A031-00LF (Navy)</p>	<p>TDP-324 2" wide direct thermal label printer, 300 dpi, 4 ips</p>	<p>Two-inch wide desktop label printer, 300 dpi, 8MB DRAM, 4MB FLASH with microSD FLASH expansion up to 4GB, 5" OD on 1" to 1½" core, prints up to 4 ips, includes Real Time Clock, USB 2.0 and serial connectivity. Emulates popular label printer languages right out of the box. Ships with Bartender Ultra-Lite software. Two year warranty.</p>
<p>TDP-244</p> 	<p>99-143A011-00LF (Navy) 99-143A021-00LF (Beige)</p>	<p>TDP-244 4" wide direct thermal label printer, 203 dpi, 4 ips, 3 ports</p>	<p>Four-inch wide desktop label printer, 203 dpi, 8MB DRAM, 4MB FLASH with SD FLASH expansion up to 4GB, 5" OD on 1" to 3" core, prints up to 4 ips, includes <b>USB 2.0, Centronics, RS-232</b>. Emulates popular label printer languages right out of the box. Ships with Bartender Ultra-Lite software. Two year warranty.</p>
<p>TDP-247</p> 	<p>99-126A010-00LF</p>	<p>TDP-247 4" wide direct thermal label printer, 203 dpi, 7 ips</p>	<p>Four-inch wide desktop label printer, 203 dpi, 8MB DRAM, 4MB FLASH with SD FLASH expansion up to 4GB, 5" OD on 1" to 3" core, prints up to 7 ips, includes <b>USB 2.0, Parallel &amp; Serial Ports</b>. Emulates popular label printer languages right out of the box. Ships with Bartender Ultra-Lite software. Two year warranty.</p>
<p>TDP-247 +IE</p>	<p>99-126A010-41LF</p>		
<p>TDP-345</p> 	<p>99-128A002-00LF</p>	<p>TDP-345 4" wide direct thermal label printer, 300 dpi, 5 ips</p>	<p>Four-inch wide direct thermal label printer, 300 dpi, 8MB DRAM, 4MB FLASH with SD FLASH expansion up to 4GB, 5" OD on 1" to 3" core, prints up to 5 ips, includes USB 2.0, Parallel &amp; Serial Ports. Emulates popular label printer languages right out of the box. Ships with Bartender Ultra-Lite software. Two year warranty.</p>
<p>TDP-345 +IE</p>	<p>99-128A002-41LF</p>		




## Thermal Transfer Desktop Printers




Model	Part Number	Short Description	Long Description
 <p>TTP-225</p>	99-040A001-00LF (Beige) 99-040A002-00LF (Navy)	TTP-225 2" wide thermal transfer label printer, 203 dpi, 5 ips	Two-inch wide desktop label printer, 203 dpi, 8MB DRAM, 4MB FLASH with microSD FLASH expansion up to 4GB, 5" OD on 1" to 1½" core, prints up to 5 ips, include Real Time Clock, USB 2.0 and Serial ports, Emulates popular label printer languages right out of the box. Ships with Bartender Ultra-Lite software. Two year warranty.
TTP-225 +IE (exclude RS-232)	99-040A001-41LF (Beige) 99-040A002-41LF (Navy)		
TTP-225 +IE, LCD & USB Host (exclude RS-232)	99-040A001-44LF (Beige) 99-040A002-44LF (Navy)		
 <p>TTP-323</p>	99-040A032-00LF (Beige) 99-040A033-00LF (Navy)	TTP-323 2" wide thermal transfer label printer, 300 dpi, 3 ips	Two-inch wide thermal transfer label printer, 300 dpi, 8MB DRAM, 4MB FLASH with microSD FLASH expansion up to 4GB, 5" OD on 1" to 1½" core, prints up to 3 ips, include Real Time Clock, USB 2.0 and Serial ports, Emulates popular label printer languages right out of the box. Ships with Bartender Ultra-Lite software. Two year warranty.
TTP-323 +IE (exclude RS-232)	99-040A032-41LF (Beige) 99-040A033-41LF (Navy)		
TTP-323 +IE, LCD & USB Host (exclude RS-232)	99-040A032-44LF (Beige) 99-040A033-44LF (Navy)		
 <p>TTP-243 Pro</p>	99-118A009-00LF	TTP-243 Pro 4" wide thermal transfer label printer, 203 dpi, 3 ips	Four-inch wide thermal transfer label printer, 203 dpi, 8MB DRAM, 4MB FLASH, internal 4.33" OD or external 8.42" OD on 1" to 3" core, prints up to 3 ips, include Real Time Clock, USB 2.0 and Serial ports, Emulates popular label printer languages right out of the box. Ships with Bartender Ultra-Lite software. Two year warranty.
 <p>TTP-243E Pro</p>	99-118A028-00LF	TTP-243E Pro Economic version of 4" wide thermal transfer label printer, 203 dpi, 3 ips	Four-inch wide thermal transfer label printer, 203 dpi, 8MB DRAM, 4MB FLASH, internal 4.33" OD on 1" to 3" core, prints up to 3 ips, include USB 2.0 and Serial ports, Emulates popular label printer languages right out of the box. Ships with Bartender Ultra-Lite software. Two year warranty.

<p>TTP-342 Pro</p> 	99-118A061-00LF	<p>TTP-342 Pro 4" wide thermal transfer label printer, 300 dpi, 2 ips</p>	<p>Four-inch wide thermal transfer label printer, 300 dpi, 8MB DRAM, 4MB FLASH, internal 4.33" OD or external 8.42" OD on 1" to 3" core, prints up to 2 ips, include Real Time Clock, USB 2.0 and Serial ports, Emulates popular label printer languages right out of the box. Ships with Bartender Ultra-Lite software. Two year warranty.</p>
<p>TTP-244 Plus</p> 	99-118A045-00LF	<p>TTP-244 Plus 4" wide thermal transfer label printer, 203 dpi, 4 ips, two motors</p>	<p>Four-inch wide desktop label printer, 203 dpi, 8MB DRAM, 4MB FLASH with SD FLASH, 4.33" OD on 1" to 3" core, prints up to 4 ips, include USB 2.0, Serial ports, Emulates popular label printer languages right out of the box. Ships with Bartender Ultra-Lite software. Two year warranty.</p>
<p>TTP-244 Plus +SD Card Reader</p>	99-118A045-50LF		
<p>TTP-244 Plus w/Serial &amp; Parallel interface</p>	99-118A051-00LF		
<p>TTP-244 Plus w/ Serial &amp; Parallel interface, +SD Card Reader</p>	99-118A051-50LF		
<p>TA200 + USB &amp; Serial interface</p> 	99-045A004-02LF (EMEA basic model)	<p>TA200 4" wide thermal transfer label printer, 203 dpi, 4 ips, two motors</p>	<p>Four-inch wide desktop label printer, 203 dpi, 8MB DRAM, 4MB FLASH with microSD FLASH expansion up to 4GB, 5" OD on 1" to 1½" core, prints up to 4 ips, include Real Time Clock, USB 2.0, serial interface, <b>1.5" label core adapter</b>. Emulates popular label printer languages right out of the box. Ships with Bartender Ultra-Lite software. Two year warranty.</p>
<p>TA200 + IE, USB, Serial &amp; Parallel interface</p>	99-045A002-02LF		
<p>TA200 + LCD, IE, USB, Serial &amp; Parallel interface</p>	99-045A001-02LF		
<p>TA300 + USB &amp; Serial interface</p> 	99-045A014-02LF (EMEA basic model)	<p>TA300 4" wide thermal transfer label printer, 300 dpi, 3 ips, two motors</p>	<p>Four-inch wide desktop label printer, 300 dpi, 8MB DRAM, 4MB FLASH with microSD FLASH expansion up to 4GB, 5" OD on 1" to 1½" core, prints up to 3 ips, include Real Time Clock, USB 2.0, serial interface, <b>1.5" label core adapter</b>. Emulates popular label printer languages right out of the box. Ships with Bartender Ultra-Lite software. Two year warranty.</p>
<p>TA300 + IE, USB, Serial &amp; Parallel interface</p>	99-045A012-02LF		




TA300 + LCD, IE, USB, Serial & Parallel interface	99-045A011-02LF		
TTP-245C RTC 	99-033A005-20LF (Beige) 99-033A001-20LF (Navy)	TTP-245C 4" wide thermal transfer label printer, 203 dpi, 6 ips, with internal Ethernet	Four-inch wide desktop label printer, 203 dpi, 5" OD on 1" to 1½" core, prints up to 6 ips, include internal Ethernet, USB 2.0, Parallel and Serial ports, <b>Realtime clock</b> . Emulates popular label printer languages right out of the box. Ships with Bartender Ultra-Lite software. Two year warranty.
TTP-343C RTC 	99-033A005-20LF (Beige) 99-033A002-20LF (Navy)	TTP-343C 4" wide thermal transfer label printer, 300 dpi, 4 ips, with internal Ethernet	Four-inch wide desktop label printer, 300 dpi, 8MB DRAM, 4MB FLASH with SD FLASH expansion up to 4GB, 5" OD on 1" to 1½" core, prints up to 4 ips, include internal Ethernet, USB 2.0, Parallel and Serial ports, <b>Realtime clock</b> . Emulates popular label printer languages right out of the box. Ships with Bartender Ultra-Lite software. Two year warranty.
TTP-247 	99-125A013-00LF	TTP-247 4" wide thermal transfer label printer, 203 dpi, 7 ips, two motors	Four-inch wide desktop label printer, 203 dpi, 8MB DRAM, 4MB FLASH with SD FLASH expansion up to 4GB, 5" OD on 1" to 3" core, prints up to 7 ips, include USB 2.0, Parallel and Serial ports, Emulates popular label printer languages right out of the box. Ships with Bartender Ultra-Lite software. Two year warranty.
TTP-247 +IE	99-125A013-41LF		
TTP-345 	99-127A003-00LF	TTP-345 4" wide thermal transfer label printer, 300 dpi, 5 ips, two motors	Four-inch wide desktop label printer, 300 dpi, 8MB DRAM, 4MB FLASH with SD FLASH expansion up to 4GB, 5" OD on 1" to 3" core, prints up to 5 ips, include USB 2.0, Parallel and Serial ports, Emulates popular label printer languages right out of the box. Ships with Bartender Ultra-Lite software. Two year warranty.
TTP-345 +IE	99-127A003-41LF		

## Industrial Printers




Model	Part Number	Short Description	Long Description
 <p>TTP-2410M Pro</p>	99-047A001-00LF	TTP-2410M Pro 4" wide industrial printer, 203 dpi, 12 ips, with internal Ethernet	Four-inch wide industrial printer, 203 dpi, Die Cast Aluminum base and frame, DT/TT, prints up to 12 ips, 32MB DRAM, 8MB FLASH with SD FLASH expansion up to 4GB. 8.2" OD media supply. Front LCD 6 button display, Interfaces include Ethernet, USB, parallel, serial ports and PS/2 standard. Uses up to 600 meter ribbons, ink coated outside or inside. Emulates popular label printer languages right out of the box. Ships with Bartender Ultra-Lite software. Two year warranty.
TTP-2410M +USB Host, GPIO	99-047A001-E2LF		
 <p>TTP-346M Pro</p>	99-047A004-00LF	TTP-346M Pro 4" wide industrial printer, 300 dpi, 8 ips, with internal Ethernet	Four-inch wide industrial printer, 300 dpi, Die Cast Aluminum base and frame, DT/TT, prints up to 8 ips, 32MB DRAM, 8MB FLASH with SD FLASH expansion up to 4GB. 8.2" OD media supply. Front LCD 6 button display, Interfaces include Ethernet, USB, parallel, serial ports and PS/2 standard. Uses up to 600 meter ribbons, ink coated outside or inside. Emulates popular label printer languages right out of the box. Ships with Bartender Ultra-Lite software. Two year warranty.
TTP-346M Pro +USB Host, GPIO	99-047A004-E2LF		
 <p>TTP-644M Pro</p>	99-047A005-00LF	TTP-644M Pro 4" wide industrial printer, 600 dpi, 4 ips, with internal Ethernet	Four-inch wide industrial printer, 600 dpi, Die Cast Aluminum base and frame, DT/TT, prints up to 4 ips, 32MB DRAM, 8MB FLASH with SD FLASH expansion up to 4GB. 8.2" OD media supply. Front LCD 6 button display, Interfaces include Ethernet, USB, parallel, serial ports and PS/2 standard. Uses up to 600 meter ribbons, ink coated outside or inside. Emulates popular label printer languages right out of the box. Ships with Bartender Ultra-Lite software. Two year warranty.

TTP-644M Pro +USB Host, GPIO	99-047A005-E2LF		
 <p>TTP-246M Pro</p>	99-047A002-00LF	TTP-246M Pro 4" wide industrial printer, 203 dpi, 8 ips	Four-inch wide industrial printer, 203 dpi, Die Cast Aluminum base and frame, DT/TT, prints up to 8 ips, 8MB DRAM, 4MB FLASH. 8.2" OD media supply. Front LCD 6 button display, USB, parallel, serial ports standard. Uses up to 600 meter ribbons, ink coated outside or inside. Package includes printer, power cable, USB cable, CD with windows drivers. Emulates popular label printer languages right out of the box. Ships with Bartender Ultra-Lite software. Two year warranty.
 <p>TTP-344M Pro</p>	99-047A003-00LF	TTP-344M Pro 4" wide Industrial Printer, 300 dpi, 6 ips	Four-inch wide industrial printer, 300 dpi, Die Cast Aluminum base and frame, DT/TT, prints up to 6 ips, 8MB DRAM, 4MB FLASH. 8.2" OD media supply. Front LCD 6 button display, USB, parallel, serial ports standard. Uses up to 600 meter ribbons, ink coated outside or inside. Package includes printer, power cable, USB cable, CD with windows drivers. Emulates popular label printer languages right out of the box. Ships with Bartender Ultra-Lite software. Two year warranty.
 <p>ME240 LCD</p>	99-042A001-50LF	ME240 4" wide Industrial Printer, 203 dpi, 6 ips	Four-Inch wide industrial printer, 203 dpi. Die Cast Aluminum print mechanism, DT/TT, prints up to 6 ips, 8MB DRAM, 4MB FLASH with SD FLASH expansion up to 4 GB. 8" OD media supply. Front LCD 6 button display, Interfaces include USB and serial ports standard. Uses up to 450 meter ribbons, ink coated outside. Emulates popular label printer languages right out of the box. Ships with Bartender Ultra-Lite software. Two year warranty.
ME240 +LCD, IE & USB Host	99-042A001-44LF		




<p>ME340 LCD</p>  <p>The image shows a black industrial printer with a small LCD screen and several buttons on the left side. A printed label is emerging from the front. Above the printer is the TSC logo and the text 'TAIWAN EXCELLENCE 2013'.</p>	<p>99-042A011-50LF</p>	<p>ME340 4" wide Industrial Printer, 300 dpi, 4 ips</p>	<p>Four-Inch wide industrial printer, 300 dpi. Die Cast Aluminum print mechanism, DT/TT, prints up to 4 ips, 8MB DRAM, 4MB FLASH with SD FLASH expansion up to 4GB. 8" OD media supply. <b>Front LCD 6 button display</b>, Interfaces include USB and serial ports standard. Uses up to 450 meter ribbons, ink coated outside. Emulates popular label printer languages right out of the box. Ships with Bartender Ultra-Lite software. Two year warranty.</p>
<p>ME340 +LCD, IE &amp; USB Host</p>	<p>99-042A011-44LF</p>		
<p>MX240</p>  <p>The image shows a grey and black industrial printer with a larger LCD screen and more buttons than the ME340. A printed label is emerging from the front.</p>	<p>99-051A001-00LF</p>	<p>MX240 4" wide industrial printer, 203 dpi, 14 ips, with internal Ethernet, USB host *2</p>	<p>Four-inch wide industrial printer, 203 dpi, Die Cast Aluminum base and frame, DT/TT, prints up to 14 ips, 256MB DRAM, 128MB FLASH with SD FLASH expansion up to 32GB. 8" OD media supply. Front 4.3" color LCD 6 button display, Interfaces include Ethernet, USB, USB host *2, parallel, and serial ports standard. Uses up to 600 meter ribbons, ink coated outside or inside. Emulates popular label printer languages right out of the box. Ships with Bartender Ultra-Lite software. Two year warranty.</p>
<p>MX340</p>  <p>The image shows a grey and black industrial printer, similar in design to the MX240 but with a different front panel configuration. A printed label is emerging from the front.</p>	<p>99-051A002-00LF</p>	<p>MX340 4" wide industrial printer, 300 dpi, 12 ips, with internal Ethernet, USB host *2</p>	<p>Four-inch wide industrial printer, 300 dpi, Die Cast Aluminum base and frame, DT/TT, prints up to 12 ips, 256MB DRAM, 128MB FLASH with SD FLASH expansion up to 32GB. 8" OD media supply. Front 4.3" color LCD 6 button display, Interfaces include Ethernet, USB, USB host *2, parallel, and serial ports standard. Uses up to 600 meter ribbons, ink coated outside or inside. Emulates popular label printer languages right out of the box. Ships with Bartender Ultra-Lite software. Two year warranty.</p>





<p>MX640</p> 	<p>99-051A003-00LF</p>	<p>MX640 4" wide industrial printer, 600 dpi, 6 ips, with internal Ethernet, USB host *2</p>	<p>Four-inch wide industrial printer, 600 dpi, Die Cast Aluminum base and frame, DT/TT, prints up to 6 ips, 256MB DRAM, 128MB FLASH with SD FLASH expansion up to 32GB. 8" OD media supply. Front 4.3" color LCD 6 button display, Interfaces include Ethernet, USB, USB host *2, parallel, and serial ports standard. Uses up to 600 meter ribbons, ink coated outside or inside. Emulates popular label printer languages right out of the box. Ships with Bartender Ultra-Lite software. Two year warranty.</p>
<p>TTP-268M</p> 	<p>99-041A001-00LF</p>	<p>TTP-268M 6" wide Industrial Printer, 203 dpi, 8 ips, with internal Ethernet</p>	<p>Six-Inch wide industrial printer, 203 dpi, Die Cast Aluminum Industrial, DT/TT, prints up to 8 ips, 32MB DRAM, 8MB FLASH with SD FLASH expansion up to 4GB. 8.2" OD media supply. Front LCD 6 button display, Interfaces include Ethernet, USB, parallel, serial ports and PS/2 standard. Uses up to 450 meter ribbons, ink coated outside or inside. Emulates popular label printer languages right out of the box. Ships with Bartender Ultra-Lite software. Two year warranty.</p>
<p>TTP-366M</p> 	<p>99-041A011-00LF</p>	<p>TTP-366M 6" wide industrial printer, 300 dpi, 6 ips, with internal Ethernet</p>	<p>Six-Inch wide industrial printer, 300 dpi, Die Cast Aluminum Industrial, DT/TT, prints up to 6 ips, 32MB DRAM, 8MB FLASH with SD FLASH expansion up to 4GB. 8.2" OD media supply. Front LCD 6 button display, Interfaces include Ethernet, USB, parallel, serial ports and PS/2 standard. Uses up to 450 meter ribbons, ink coated outside or inside. Emulates popular label printer languages right out of the box. Ships with Bartender Ultra-Lite software. Two year warranty.</p>



<p>TTP-384M</p> 	<p>99-035A001-00LF</p>	<p>TTP-384M 8" wide industrial printer, 300 dpi, 4 ips, with internal Ethernet</p>	<p>Eight-Inch wide industrial printer, 300 dpi, Die Cast Aluminum, DT/TT, prints up to 4 ips, 32MB DRAM, 8MB FLASH with SD FLASH expansion up to 4GB. 8.2" OD media supply. Front LCD 6 button display, Interfaces include Ethernet, USB, parallel, serial ports and PS/2 standard. Uses up to 600 meter ribbons, ink coated outside. Emulates popular label printer languages right out of the box. Ships with Bartender Ultra-Lite software. Two year warranty.</p>
<p>TTP-384M +Regular Cutter</p>	<p>99-035A001-11LF</p>		
<p>TTP-384M +Heavy Duty Cutter</p>			
<p>TTP-384M +GPIO</p>	<p>99-035A001-EOLF</p>		

## Mobile Printers

Model	Part Number	Short Description	Long Description
Alpha-3R 	99-048A011-00LF	Alpha-3R 3" wide direct thermal printer, 203 dpi, 4 ips, with USB	Three-inch wide portable direct thermal printer with 2500 mAh Li-Ion Battery, battery charger, belt clip. Standard printer features include 4 ips print speed, USB. Ships with Bartender Ultra-Lite software. Two year warranty.
Alpha-3R + Bluetooth	99-048A013-00LF		
Alpha-3R + Wi-Fi 802.11b/g/n	99-048A012-00LF		
Alpha-4L 	99-052A001-00LF	Alpha-4L 4" wide direct thermal printer, 203 dpi, 4 ips, with USB, Bluetooth	Four-inch wide portable direct thermal printer with 5800 mAh Li-Ion Battery, battery charger, belt clip. Standard printer features include 4 ips print speed, USB, Bluetooth. Ships with Bartender Ultra-Lite software. Two year warranty.
Alpha-4L + Linerless	99-052A003-00LF		
Alpha-4L + 2" LCD display	99-052A001-50LF		
Alpha-4L + Wi-Fi 802.11b/g/n	99-052A002-00LF		
Alpha-4L + Wi-Fi 802.11b/g/n + LCD	99-052A002-50LF		
Alpha-4L, Linerless + 2" LCD display	99-052A003-50LF		
Alpha-4L, Linerless + Wi-Fi 802.11b/g/n	99-052A004-00LF		
Alpha-4L, Linerless + Wi-Fi 802.11b/g/n + LCD	99-052A004-50LF		

## Accessories

Model	Part Number	Short Description	Long Description
KP-200 Plus 	99-117A001-00LF	KP-200 Plus Keyboard Terminal for EPL2 printers	Keyboard/Terminal for TSC desktop machines & EPL2 printers
KU-007 Plus 	99-0230001-00LF	KU-007 Plus Programmable Keyboard	Fully Programmable Stand-alone keyboard.
TSC Keyboard Membrane	30-0170005-00LF	Protective membrane for KP-200 Plus/KU-007 Plus	Protective membrane for KP-200 Plus/KU-007 Plus
Bluetooth Module 	99-125A041-00LF	Bluetooth Module BT v2.1+EDR	128-bit encryption, Up to 3 Mbps Transmission Rates
WiFi Module 	99-125A042-00LF	WiFi Module 802.11 b/g/n compatible	Support WPA-Personal (TKIP) , WPA2-Personal (AES) and wired equivalent privacy protocol (WEP)